

# INDEX

- accountability, 9
- acetazolamide, 169, 186, 187
- acetyl choline (Miochol), 154
- acid burns, 317
- adrenaline:
  - in glaucoma treatment, 186
  - in irrigating fluid, 59
  - in local anaesthesia, 16, 56, 59, 61, 68, 216, 2221, 226, 258, 278
- AIDS:
  - cleaning spilt blood, 41
  - surgical risks, 20
- akinesia, 60
- alcohol, retrobulbar injection, 190, 291
- alkali burns, 317
- alpha-chymotrypsin, 144
- amethocaine, 55
- amikacin, 165
- amphotericin, 167
- ampicillin, 167
- anaesthesia, 54–72
  - general, 54–6, 71
  - see also* local anaesthesia
- anatomy, 13
  - eyelid, 212–7
- aniseikonia, 79
- anterior lamellar resection, 231–3
- anterior lamellar shortening, 226
- anti-fungal agents, 300
  - amphotericin, 167
  - natamycin, 314
- anti-tetanus treatment, 300
- antibiotics:
  - for burns, 318
  - for endophthalmitis, 163–7
  - for eye injuries, 300, 309–10, 314
  - intra-vitreous, 164–6
  - post-operative, 203, 248
  - pre-operative use, 57, 163
  - subconjunctival, 156, 167
  - systemic, 166, 248, 318
  - topical, 150, 314, 317
- antiseptic solutions, 50–1, 58
- aphakia, 78
- applanation tonometer, 183
- apprenticeship training, 10–1
- aqueous leakage, 159–60
- ascorbate, 319
- aspiration, of lens, 109–113
- atropine:
  - intramuscular, 71
  - as mydriatic, 59, 151, 161, 203, 310
  - side effects, 156
- audit, 9
- autoclave, 44–5
- autograft, 265
- Ballen operation, 222, 239–41
  - advantages of, 241
- bandage soft contact lens, 205
- bandaging, 43
- Bard-Parker scalpel, 96
- benzodiazepines, 60
- benzylpenicillin, 167

- beta radiation, 263
  - after glaucoma surgery, 210
  - after pterygium surgery, 263
- beta-blockers, 186
- betamethasone, 157, 167
- bilamellar rotation, *see* Ballen operation
- bleeding control, *see* haemostasis
- blepharitis, 57
- blindness:
  - from cataract, 73
  - from trachoma, 222–3
  - major causes, 2
  - statistics, 1
  - WHO definition, 1
- blow-out fracture, 319–20
- blunt injuries, 311–4
- boiling instruments, 50
- brimonidine, 186
- building maintenance, 41
- bullous keratopathy, 28, 177, 258
- bupivacaine (Marcain), 61
- burns, 317–9
  
- cannula, for 2-way
  - irrigation/aspiration, 109–10, 112, 121, 125
- cantholysis, 255
- canthoplasty, 252–3
- canthotomy procedure, 20–1
- capsular opacification, 132, 171
- capsule forceps, 143
  - lens extraction, 147–50
  - complications, 152
- capsulotomy:
  - anterior, 99, 102–6, 124, 132
  - posterior, 132, 171–2
- carbenicillin, 167
- carbonic acid anhydrase inhibitors, 186
- cataract:
  - after glaucoma surgery, 210
  - after injury, 311
  - in children, 130–5
  - pre-disposing factors, 3
  - steroid induced, 158
- cataract surgery, 73–181
  - choice of operations, 92–3
  - congenital/juvenile, 130–5
  - haemostasis, 26–7, 96–7
  - history of, 74–8
  - indications for, 6, 86–92
  - instruments for, 46–7
  - lens implants, 81–8, 93
  - mydriasis, 59
  - post-operative care, 134–5, 155–8
  - post-operative complications, 134–5, 158–175
    - restoring focussing of eye, 6, 78–87
    - surgical technique, 94–155
    - wound closure, 29–36, 120–1
- cautery, 15, 26, 96–7, 122
- ceftazidime, 165
- cefuroxime, 156, 165, 167
- cephalosporins, 167
- cephazolin, 165, 167
- cetrimide, 51, 58
- chalazion, 2221
- chemical burns, 317
- chemical disinfectants, 50–1, 58
- chemotherapy, 296
- chloramphenicol, 57, 156, 167
- chlorhexidine, 51, 58
- cicatricial ectropion, 219
- cicatricial entropion, 243, 319
- ciprofloxacin, 166
- citric acid, 51
- clinical officers, 11–2
- cloxacillin, 167
- cocaine, as local anaesthetic, 55–6, 59, 278
- community-based services, 10
- congenital cataract, 130–5
- congenital glaucoma, 183, 189
- conjunctiva, 215–7, 257
- conjunctival burns, 317–9
- conjunctival foreign body, 300–1, 314–6
- conjunctival lacerations, 299, 315
  - examination, 299
- conjunctival scarring, 57

- conjunctival surgery, 25–6, 257–68
  - flaps, 25–6, 35, 96, 258–62, 301, 303
  - loa-loa worm removal, 267
  - pterygium, 262–7
  - reconstruction, 267
  - tumour removal, 267
- conjunctivitis, 57, 212
- consanguinity, 3
- contact lenses, 80–1
- cornea, 257
- corneal abrasions, 314
  - examination, 299–300
- corneal burns, 317–9
- corneal damage:
  - surgical, 12, 33
  - see also* corneal lacerations
- corneal endothelium, 23–4, 27–8, 83–6, 106–9
- corneal foreign body, 257, 314
- corneal grafting, 268–9
- corneal incisions, 23, 99, 101
- corneal lacerations, 299–300, 302
  - examination, 300, 302
  - wound closure, 301–3
- corneal oedema:
  - bullous keratopathy, 171, 258
  - post-operative, 27–8
- corneal perforations, glue, 273
- corneal rotation, 272–3
- corneal scarring, 57, 212, 257, 268, 319
  - astigmatism and, 311
  - optical iridectomy for, 269–71
  - see also* eyelid surgery
- corneal ulcers, 212, 222, 257–8
- corneo-scleral punch, 199
- cortico-steroids:
  - post-operative, 157
  - side-effects, 157
  - subconjunctival injection, 167–8
  - see also* steroid therapy
- cortisone, 167
- couching, 74–5
- cranial nerve injuries, 320
- Cruikshank clamp, 235–6
- cryoprobe, 141–2
  - lens extraction, 145–7
  - complications, 45, 51
  - sterilization, 45, 51
- cryotherapy, for trichiasis, 224–5
- cyclopentolate, 59, 72, 157, 169, 203
- cystitome, 102–4, 173
- cystoid macular oedema, 114, 170
- dacryocystectomy, 275–8
- dacryocystorhinostomy, 278–87
- depomedrone, 167
- Descemet's membrane, 98
- Desmarres retractor, 48–9
- dexamethasone, 157
- diabetes, 57
- diathermy, 15, 26, 96, 122
- diazepam (Valium), 60
- diclofenac, 72
- diplopia, 297
- disinfection, 44–53
- diuretics, in glaucoma treatment, 186
- dorzolamide, 186
- drainage bleb, 205–10
- drapes, 43–4
- dressings, 42–3
- dry heat oven, 50
- ectropion, 57, 218–20
  - senile, 220, 248
  - surgery, 246–8
- education/staff training, 10–12
- electrolysis for eyelash removal, 224
- Elschnigg's pearls, 177–8
- endocapsular capsulotomy, 103–9
- endophthalmitis *see* infections
  - (post-operative)
- enophthalmos, 299, 319
- entropion, 57, 217–8
  - lower lid surgery, 242–6
  - upper lid surgery, 222–42
- enucleation, 290–5, 301–2
- epilation, 223
- epinephrine *see* adrenaline
- epiphora, 274

- equipment:  
 for magnification, 17–18  
 high tech vs low tech, 5–7  
 maintenance, 41–2  
 sterilization and storage, 44–53  
 transportation, 8–9  
*see also* instruments
- evisceration, 290–3, 302, 310
- examination, post-operative checklist, 175
- examination, following trauma, 299–300
- exenteration, 296–8
- extracapsular cataract extraction, 75–6, 93–129
- ‘eye camps’, 8–9
- eyelashes:  
 excision, 225  
 inturning *see* trichiasis  
 trimming before surgery, 58
- eyelid injuries, 299, 315–6  
 burns, 317–8
- eyelid surgery, 16, 212–256  
 ectropion, 218–20  
 eyelid tumours, 221, 254–5  
 instruments for, 48–9  
 lower lid entropion, 242–6  
 tarsorrhaphy, 248–51  
 upper lid entropion/trichiasis, 221–42
- eye pads, 42, 155, 316–8
- facial nerve block, 61  
 adrenaline and, 61
- facial palsy, 57, 212, 220  
 ectropion correction, 57, 252–3
- fibrosis prevention following  
 glaucoma surgery, 208–9
- fluorouracil, 208–10
- flurbiprofen, 72
- forceps, 46–9  
*see also* capsule forceps
- foreign bodies, 300–1, 314–6  
 puncture wounds, 314
- formalin, 51
- fractures (orbital), 299–300, 319–20
- fungal infections, 300, 314
- general anaesthesia, 54–6, 71
- gentamicin, 156, 167  
 intravitreal, 164–5  
 subconjunctival, 167
- glasses *see* spectacles
- glaucoma, 182–211  
 after cataract surgery, 134, 174  
 after injury, 311  
 with cataract, 88, 134–7  
 malignant (ciliary block), 168–9, 207  
 medical treatment, 186–7  
 predisposing factors, 3  
 pupil block, 134, 139, 183  
 racial differences, 185  
 steroid-induced, 158  
 surgery, 187–211
- gloves, 41, 52  
 sterilization, 45
- glue, for corneal perforation, 273
- glycerol, 186
- Goldmann tonometer, 183
- goniotomy procedure, 189
- Graefe knife, 95
- grafting operations on eyelids, 246–8
- haemorrhage:  
 expulsive, 112–3  
 sub-conjunctival, 315  
*see also* hyphaema
- haemostasis, 14–15, 26–7  
 in cataract surgery, 26–7, 96–7
- Hartmann’s solution, 28
- hepatitis B, 20, 38
- Hibitane (chlorhexidine), 51
- history taking following trauma, 299
- HIV virus, 38, 41  
 and conjunctival tumours, 267
- homatropine, 59, 157
- hyaluronidase (Hyalase), 61, 64, 68
- hydrocortisone, 157, 167
- hydrodissection, 99, 105, 110, 124
- hypertension, 59
- hyphaema:  
 due to trauma, 300, 310–1  
 evacuation, 311, 313  
 post-operative, 162

- hypopyon, 300  
hypotony, 211  
hypromellose, 102
- illumination in operating theatre, 18
- implants:  
  cosmetic, 295  
  lens, 6, 81–93
- incisions (basic principles), 23,  
  97–106, 122–4
- India, blindness statistics, 4
- infection control, 53
- infection sources, 53
- infections, following trauma, 310
- infections (post-operative), 12, 53  
  after cataract surgery, 163–8  
  after glaucoma surgery, 211  
  endophthalmitis, 163, 211, 291–3  
  features, 163–4  
  incidence, 19  
  irrigating fluid contamination, 20,  
  28, 53  
  prevention, 19, 20, 53, 156, 163  
  removal of eye, 290–3  
  steroid-induced, 164–7  
  treatment, 157–60
- inflammation (post-operative), 37,  
  156–8  
  racial differences, 207
- injuries *see* trauma
- insect-proofing of theatres, 41
- instruments, 46–9  
  Cruikshank clamp, 235–6  
  extraocular set, 48–9  
  Graefe knife, 95  
  handling, 14, 19  
  intraocular set, 46–7  
  mechanical injury to eye, 28–9  
  ‘no touch’ technique, 19, 52–3  
  speculum, 20  
  Traquair’s elevator, 278–9, 284  
  Trepshines for bone, 279, 285  
  *see also* equipment
- International Agency for the  
  Prevention of Blindness (IAPB), 4
- intracapsular cataract extraction, 76,  
  137–54
- intraocular lenses, 6, 81–7  
  anterior chamber, 83, 153–5,  
  177–8  
  cost factors, 6–8, 81  
  iris fixated, 86  
  posterior chamber, 83, 116–20  
  sclerally fixated, 86, 178–81  
  secondary implants, 176–81
- intraocular pressure, 89, 300  
  normal values, 183  
  raised *see* glaucoma
- intravitreal injection, 164
- iridectomy, 116, 139–40, 169–70,  
  187–93  
  avoiding lens damage, 28  
  blocked, 169  
  haemostasis, 27, 140–1  
  indications, 139, 188  
  optical, 269–72  
  peripheral, 139–40, 178, 190–93
- iridocyclitis, post-operative, 156, 168
- iridotomy, 140
- iris damage, surgical, 28–9
- iris prolapse, 128, 160–1
- iris sphincter, 108
- iritis, 310
- irrigating fluids, 102, 313  
  contaminated, 20, 28, 54
- irrigation, 109–13
- juvenile cataract, 130–5
- Kelman-McPherson capsule forceps,  
  118–9
- keratectomy, 273
- keratopathy, 273
- ketamine, 71, 132
- ketorolac, 72
- knots, 30–6  
  burying, 31  
  tying, 35–6
- lacrimal drainage system, 252–3,  
  274–89
- lacrimal punctoplasty, 288
- lacrimal punctum, occlusion, 289
- lagophthalmos, 220

- lamps, 18
- lasers, 5
  - for capsulotomy, 93, 172, 177
  - in glaucoma treatment, 190
  - in iridectomy, 172
- latanoprost, 186
- lateral canthal tendon, 242
- lens cortex, 109–13
- lens damage:
  - surgical, 28
  - traumatic, 306
- lens dialler, 116–8
- lens expressor, 107–8, 144–52
- lens glide, 154
- lens implants, 81–8
  - cost factors, 6, 81
- lens loop, 144
  - lens extraction with, 106–9, 150–3
- lens nucleus, 106–9, 125–9
- lensectomy, 132
- leprosy, 212, 220
  - ectropion correction, 248–9
- lignocaine, 55–6, 61, 64
  - in nerve blocks, 55
- limbal incision, 95–9
- limbus, anatomy, 23–7
- linen and drapes, 43–4
- loa-loa worm, 267
- local anaesthesia, 54–6, 60–72
  - adrenaline in, *see under* adrenaline
  - advantages, 54–5
  - avoiding anxiety in surgeon, 18
  - for conjunctival surgery, 257–8
  - for eyelid surgery, 206–7
  - nerve blocks, 54–5, 61–3, 113
  - topical drops, 55–6
- lysozyme, 58
- magnification/illumination, 17–8
- maintenance, buildings & equipment, 41–2
- mannitol, 186
- Marcaïn (bupivacaine), 61
- medical personnel training, 10–2
- Meibomian cysts, 253–4
- Meibomian glands, 215–6, 221–2, 229
- melanoma, 290–1
- methicillin, 167
- microscope, operating, 17–8
- mitomycin, 209–10, 263
- mobilisation of patient, 155
- mobility of health teams, 8–9
- Muller's muscle, 216, 238–9
- multivitamins, 60
- music in operating theatre, 18
- mydriatics, 59
  - after cataract surgery, 157
  - after glaucoma surgery, 193, 203
  - for iritis following trauma, 300, 310, 318
  - for malignant glaucoma, 169
  - subconjunctival injection, 167
- nasolacrimal duct probing, 274–5
- natamycin, 314
- needle holders, 46, 48
- needles, 15, 34
  - suturing technique, 34–6
- neomycin, 156
- nerve blocks, 56, 61, 276
  - facial, 61
  - peribulbar, 61, 67
  - retrobulbar, 61, 63
  - sub-Tenon's, 61
- O'Brien's method, 62
- occlusion of the lacrymal punctum, 289
- ocular biometry, 86–7
- ocular massage, 205–6
- operating glasses, 17
- operating microscope, 17–18
- operating theatre procedures, 38–53
  - head pillows, 18–9
  - infection control, 38, 53
  - patient preparation, 54, 58–60
  - safety, 38–40
  - staffing, 40
- operating theatres, 38–41
- ophthalmic clinical officers, 11–2
- ophthalmic medical assistants, 11–2

- optic atrophy, due to glaucoma, 184
- orbicularis oculi muscle, 214–5
- orbital diseases, 296–8
- orbital fractures/injuries, 299–300, 319–20
- osmotic diuretics, 186
- outreach, 8
- oven, dry heat, 50
- oxybuprocaine, 55
  
- pads, 42, 155, 316–8
- pathology, 14
  - eyelid, 217–21
- penetrating injuries, 55, 302–11
- pentagonal wedge excision, 243–6
- peribulbar block, 67
- pethidine, 292
- phakoemulsification, 5, 61, 76–8
- phenol, retrobulbar injection, 190, 291
- phenylephrine, 59, 72
- physiology, 14
- pilocarpine, 59, 154, 186–7
  - in glaucoma treatment, 59
- Pimaricin (natamycin), 314
- pin-hole test, 90
- post-graduate training, 11
- posterior capsule rupture, 113–5
- posterior capsule thickening, 171–4
- posterior lamellar lengthening, 227
- povidine-iodine, 51, 58
- prednisolone, 157
- pre-operative assessment, 56–7
- primary health workers, 10
- propionobacter, 174
- proptosis, 298, 299
- prostaglandin inhibitors, 59, 72, 111
- proxymetacaine, 55
- pseudotumour, 296–7
- pterygium, 250, 254–9
  - causes, 3, 254
- ptosis, 220
- punctum, 274–5
- pupil block, 168–70
- pupil dilatation, 59, 111, 124
- pupil reactions, 59, 89–90, 300
  
- radiotherapy, 290, 296
- razor blades, 96
- releasable sutures, 206–7
- removal of eye, 290–5
- retinal detachment:
  - after cataract surgery, 170
  - after injury, 311
  - in children, 135
  - surgery, 12, 170
- retinoblastoma, 290–2, 294
- retrobulbar block, 63–7, 292
  - adrenaline and, 61
- retrobulbar haemorrhage, 66
- retrobulbar injection, 63–5, 291
- Ringer's solution, 313
- rubella infection, 130
- rural outreach, 8
  
- Savlon, 51, 58
- Scheie's operation, 202–4
- Schiotz tonometer, 183
- scissors, 46–9, 198, 271
- scleral incisions, 23, 95
- scleral lacerations, 302
  - wound closure, 302–3
- sclerectomy, 189
- sedatives, 59
- Seidel's test, 160
- small incision surgery, 61, 122–9
- Snellen operation, 227, 231, 233–5
- sodium phosphate, 51
- sodium versenate, 273
- spectacles:
  - aphakic, 78–80, 130
  - magnifying, 79
  - operating glasses, 16, 17
  - prescribing, 158
- speculum, 20, 94
  - types of, 20, 46–9
- sphincterotomy, 108
- sponge vitrectomy, 115, 177
- squint surgery, 12
- staphyloma, 291
- sterile technique, 19–20
- sterilizing equipment, 44–53
- steroid therapy after trauma, 300, after burns, 318

- steroid therapy (postoperative),
  - 156–8, 203, 207, 310, 313
  - complications, 158, 207
  - for acute endophthalmitis, 168
  - post-ptyerygium, 262–4
- stock keeping, 51–2
- strabismus hook, 293
- streptomycin, 167
- striate keratitis/keratopathy, 27,
  - 161–2
  - end-stage (corneal oedema), 27–8, 171
- subconjunctival injections, 157, 167
  - antibiotics, 150, 161
- sub-Tenon's block, 61, 69–71, 94, 113
- surgery, principles, 13
- surgical equipment, *see* equipment
- surgical techniques, 14–5
  - extraocular, 16
  - intraocular, 16–7
  - sterile, 19–20
- sutures/suturing technique, 15, 29–36
  - in cataract surgery, 31–3, 99–101, 120–1
  - conjunctival suture removal, 204
  - corneal suture removal, 308
  - corneal wound closure, 306–7
  - iridectomy, 192–3
  - materials, 29–33
  - pre-placed sutures, 138–9
  - releasable sutures 206–7
  - superior rectus stay suture, 21–2, 94, 194
  - trabeculectomy, 199–200
  - tying knots, 35–6
  - see also* wound closure
- swabs, 43
- symbblepharon, 267, 319
- sympathetic ophthalmitis, 304
- synechia, 29, 270
  
- tarsorrhaphy procedure, 248–51
- tarsal grooving, 227–8
- tarsal plates, 215, 222
- tarsal rotation, 228–30, 235–41
- teamwork, 7, 38, 40
  
- teicoplanin, 164
- Tenon's capsule, 195–6, 202, 260
- tetracycline, 156
- thiotepa, 263
- thyroid eye disease, 296
- tight eye, 112–3
- timolol, 186–7, 207
- tonometers, 183
- trabeculectomy, 26, 188–9, 193–202, 313
  - avoiding lens damage, 28
  - complications, 204–211
  - with lens extraction, 136–7
  - following lens extraction, 174
- Trabut operation, 230, 235–9
- trachoma, 212, 217, 218, 222
  - predisposing factors, 3
  - trichiasis surgery, 223–256
- training/education, 10–12
- tranquillizers, 60
- transport issues, 8–9
- trauma, 299–319
  - blunt injuries, 311–4
  - burns, 317–9
  - cataract, 311
  - conjunctival lacerations, 299, 315
  - corneal lacerations, 299–300, 302–8
  - cranial nerve injuries, 320
  - eyelid injuries, 299, 315–6
  - foreign bodies, 300, 309, 314
  - general management, 301
  - orbital fractures/injuries, 299–300, 319–20
  - penetrating injuries, 55, 302–7
  - puncture wounds, 309
  - sub-conjunctival haemorrhage, 315
- tremor (surgeon), 18
- trephine procedure, 188
- trichiasis, 57, 212, 218, 222
  - removal of lashes, 223
  - surgery for, 224–6, 256
- tropicamide, 59, 157
- tumours:
  - conjunctival, 267
  - eyelid, 221, 254–5
  - malignant, 254, 290–1
  - melanoma, 290–1
  - orbital, 296–8
  - retinoblastoma, 290–1, 294



- uveal tract prolapse, 304–5
- uveitis, glaucoma and, 88
  - postoperative, 174–5
  - traumatic, 299
- Valium (diazepam), 60
- Van Lint method, 62
- vancomycin, 164–5, 167
- virgin silk sutures, 30
- visco-elastic fluids, 102, 107, 116, 124, 125, 173, 177
- Vision 2020 plan, 4
- visual field loss, due to glaucoma, 184
- vitamin tablets, 60
- vitrectomy, 114–5
  - equipment, 5, 114
  - suction cutter, 132–3
- vitreous, 29
  - intravitreal injection, 164–7
  - surgical damage to, 29
  - vitreal loss, 113–5
- vitreal prolapse, 29, 306
- Wies procedure, 242–3
- World Health Organisation (WHO), 1, 4
- wound closure, 15, 29–36, 120–1, 136, 155
  - complications, 35, 159–60
  - following trauma, 306–309
    - see also* sutures/suturing technique
- Z-plasty procedure, 246–7
- Zonulysin (alpha-chymotrypsin), 144
- zygoma, 319

